

# Index

- absolute value, 135–141
- additive identity, 254
- additive inverse, 254
- aleph, 465
- algebra of sets, 245, 277
- antisymmetric relation, 387
- arcsine function, 349
- arithmetic sequence, 208
- arrow diagram, 290
- associative laws
  - for real numbers, 254
  - for sets, 246, 277
- average
  - of a finite set of numbers, 300
- axiom, 85
  
- basis step, 173, 191, 194
- biconditional statement, 39, 103
  - forms of, 39
  - proof of, 107
- bijection, 312
- Binet's formula, 208
- birthday function, 283, 284, 319
  
- Cantor's diagonal argument, 482
- Cantor's Theorem, 483
- Cantor, Georg, 483
- Cantor-Schröder-Bernstein Theorem, 484
- cardinal number, 455
- cardinality, 223, 452, 455, 465, 482
  - $\aleph_0$ , 465
  - $c$ , 482
  - finite set, 223, 455
  - natural numbers, 465
- Cartesian plane, 258
- Cartesian product, 256, 362
- cases, proof using, 132, 160
- Cauchy sequence, 78
- chain rule, 327
- choose an element method, 279
- choose-an-element method, 231–235, 238
- circular relation, 386
- closed interval, 228
- closed ray, 228
- closed under addition, 10, 62
- closed under multiplication, 10, 63
- closed under subtraction, 10, 63
- closure properties, 10–11
- codomain, 281, 285
- Cohen, Paul, 486
- common divisor, 414
- commutative laws
  - for real numbers, 254
  - for sets, 246, 277
- commutative operation, 77
- complement of a set, 216
- complex numbers, 224
- composite function, 325
- composite number, 78, 189, 426
- composition of functions, 325
  - inner function, 325
  - outer function, 325
- compound interest, 211
- compound statement, 33

- conditional, 33
- conditional statement, 5–10, 36
  - conclusion, 5, 37
  - contrapositive of, 44
  - converse of, 44
  - forms of, 36
  - hypothesis, 5, 37
  - logical equivalencies, 45
  - negation, 46
  - truth table, 6
- congruence, 92–94, 147–149, 380
  - Division Algorithm, 150
  - reflexive property, 98, 149, 168
  - symmetric property, 98, 149, 168
  - transitive property, 98, 149, 168
- congruence class, 392
- congruent modulo  $n$ , 92
- conjecture, 3, 86
- conjunction, 33, 36
- connective, 33
- consecutive integers, 137
- constant, 54
- construction method, 88
- constructive proof, 109–110, 161
- continuous, 77
- continuum, 482
- Continuum Hypothesis, 485
- contradiction, 40, 116, 159
- contrapositive, 44, 104, 159
- converse, 44
- coordinates, 256
- corollary, 86
- countable set, 466
- countably infinite set, 466
- countably infinite sets
  - subsets of, 472–473
  - union of, 471
- counterexample, 3, 66, 69, 90–91
- De Moivre's Theorem, 199
- de Moivre, Abraham, 199
- De Morgan's Laws
  - for indexed family of sets, 270
  - for sets, 248, 278
  - for statements, 45, 48
- decimal expression
  - for a real number, 480
  - normalized form, 480
- decomposing functions, 327
- definition, 15, 86
  - by recursion, 200
- denumerable set, 466
- dependent variable, 285
- derivative, 295
- determinant, 305, 323
- diagonal, 295
- difference of two sets, 216
- digraph, 369
- Diophantine equation, 441
  - linear in one variable, 441
  - linear in two variables, 441–445
- Diophantus of Alexandria, 441
- direct proof, 16, 24–25, 104, 158
- directed edge, 369
- directed graph, 369
  - directed edge, 369
  - vertex, 369
- disjoint, 236
  - pairwise, 272, 395
- disjoint sets, 236
- disjunction, 33, 36
- distributive laws
  - for indexed family of sets, 271
  - for real numbers, 254
  - for sets, 246, 278
  - for statements, 48, 49
- divides, 82, 367
- divisibility test, 407
  - for 11, 410
  - for 3, 409

- for 4, 410
  - for 5, 409
  - for 9, 407
- Division Algorithm, 143–145
  - congruence, 150
  - using cases, 146–147
- divisor, 82
  - properties, 167
- Dodge Ball, 476, 482
- domain
  - of a function, 281, 285
  - of a relation, 364
- domino theory, 189
- element-chasing proof, 238
- empty set, 60
  - properties, 246, 277
- equal functions, 298
- equal sets, 55
- equality relation, 381
- equation numbers, 89
- equivalence class, 391
  - properties of, 392
- equivalence relation, 378
- equivalent sets, 452, 455
- Euclid's Elements*, 431
- Euclid's Lemma, 431
- Euclidean Algorithm, 419
- even integer, 15, 82
  - properties, 31, 166
- exclusive or, 34
- existence theorem, 110, 111, 161
- existential quantifier, 63
- Extended Principle of Mathematical Induction, 190, 213
- factor, 82
- factorial, 188, 201
- family of sets, 264
  - indexed, 268
  - intersection, 265
  - union, 265
- Fermat's Last Theorem, 164
- Fermat, Pierre, 164
- Fibonacci numbers, 202
- Fibonacci Quarterly, 204
- finite set, 455, 462
  - properties of, 455–459
- function, 281, 284
  - as set of ordered pairs, 336
  - bijjective, 312
  - codomain, 281, 285
  - composite, 325
  - composition, 325
  - domain, 281, 285
  - equality, 298
  - injective, 310
  - inverse of, 338, 373
  - invertible, 341
  - of two variables, 302
  - one-to-one, 310
  - onto, 311
  - piecewise defined, 322
  - projection, 304
  - range, 287
  - real, 288, 292
  - surjective, 311
- Fundamental Theorem
  - of Arithmetic, 432
  - of Calculus, 306
- future value, 212
- Gödel, Kurt, 486
- geometric sequence, 206
- geometric series, 206
- Goldbach's Conjecture, 163, 435
- greatest common divisor, 414
- half-open interval, 228
- Hemachandra, Acharya, 203

- idempotent laws for sets, 246, 277
- identity function, 298, 319, 331, 345
- identity relation, 381
- image
  - of a set, 351
  - of a union, 355, 361
  - of an element, 285
  - of an intersection, 355, 361
- implication, 33
- inclusive or, 34
- increasing, strictly, 76
- independent variable, 285
- indexed family of sets, 268
  - De Morgan's Laws, 270
  - distributive laws, 271
  - intersection, 268
  - union, 268
- indexing set, 268
- inductive assumption, 174
- inductive hypothesis, 174
- inductive set, 171
- inductive step, 173, 191, 194
- infinite set, 455, 462
- initial condition, 200
- injection, 310
- inner function, 325
- integers, 10, 54, 224
  - consecutive, 137
  - system, 415
- integers modulo  $n$ , 402
  - addition, 404
  - multiplication, 404
- Intermediate Value Theorem, 111
- intersection
  - of a family of sets, 265
  - of an indexed family of sets, 268
  - of two sets, 216
- interval, 228
  - Cartesian product, 259
  - closed, 228
  - half-open, 228
  - open, 228
- inverse image of a set, 351
- inverse of a function, 338, 373
- inverse of a relation, 373
- inverse sine function, 349
- invertible function, 341
- irrational numbers, 10, 113, 122, 224
- know-show table, 17–21, 86
  - backward question, 19
  - forward question, 19
- Kuratowski, Kazimierz, 263
- Law of Trichotomy, 228
- least upper bound, 79
- lemma, 86
- Leonardo of Pisa, 203
- linear combination, 423
- linear congruence, 447
- linear Diophantine equations, 441–445
- logical operator, 33
- logically equivalent, 43
- Lucas numbers, 210
- magic square, 129
- mapping, 284
- mathematical induction
  - basis step, 173, 191, 194
  - Extended Principle, 190, 193, 213, 214
  - inductive step, 173, 191, 194
  - Principle, 173, 213
- matrix, 305
  - determinant, 305
  - transpose, 305
- modular arithmetic, 404
- modus ponens, 42
- multiple, 82
- multiplicative identity, 254
- multiplicative inverse, 254

- natural numbers, 10, 54, 223
- necessary condition, 37
- negation, 33, 36
  - of a conditional statement, 46, 69
  - of a quantified statement, 67–69
- neighborhood, 78
- normalized form
  - of a decimal expression, 480
- number of divisors function, 292, 293, 319
- octagon, 295
- odd integer, 15
  - properties, 31, 166
- one-to-one correspondence, 452
- one-to-one function, 310
- only if, 37
- onto function, 311
- open interval, 228
- open ray, 228
- open sentence, 56
- ordered pair, 256, 263
- ordered triple, 263
- ordinary annuity, 212
- outer function, 325
- pairwise disjoint, 272, 395
- partition, 395
- pentagon, 295
- perfect square, 70, 439
- piecewise defined function, 322
- Pigeonhole Principle, 459, 461
- polygon, 294
  - diagonal, 295
  - regular, 295
- power set, 222, 230, 478
  - cardinality, 230
- predicate, 56
- preimage
  - of a set, 351
  - of a union, 356, 361
  - of an element, 285
  - of an intersection, 356, 361
- prime factorization, 427
- prime number, 78, 189, 426
- prime numbers
  - distribution of, 434
  - twin, 435
- Principle of Mathematical Induction, 173, 213
- projection function, 304, 320
- proof, 22, 85
  - biconditional statement, 107
  - by contradiction, 116–118, 159
  - constructive, 110, 161
  - contrapositive, 104, 159
  - direct, 16, 24–25, 104, 158
  - element-chasing, 238
  - non-constructive, 111, 161
  - using cases, 132, 160
- proper subset, 218
- proposition, 1
- propositional function, 56
- Pythagorean Theorem, 26
- Pythagorean triple, 29, 102, 128, 163, 164
- quadratic equation, 28, 98
- quadratic formula, 28
- quadrilateral, 295
- quantifier, 63, 70
  - existential, 63
  - universal, 63
- quotient, 144
- range, 287
  - of a relation, 364
- rational numbers, 10, 54, 113, 122
- ray
  - closed, 228

- open, 228
- real function, 288, 292
- real number system, 10
- real numbers, 54, 224
- recurrence relation, 200
- recursive definition, 200
- reflexive, 375, 377
- regular polygon, 295
- relation, 364
  - antisymmetric, 387
  - circular, 386
  - divides, 367
  - domain, 364
  - equality, 381
  - equivalence, 378
  - identity, 381
  - inverse of, 373
  - range, 364
  - reflexive on, 375, 377
  - symmetric, 375, 377
  - transitive, 375, 377
- relative complement, 216
- relatively prime integers, 428
- remainder, 144
- ring, 77
- roster method, 53
- Second Principle of Mathematical Induction, 193, 214
- sequence, 200, 301
  - arithmetic, 208
  - geometric, 206
- set
  - complement, 216
  - difference, 216
  - equality, 55
  - intersection, 216
  - power, 222
  - proving equality, 235
  - relative complement, 216
  - roster method, 53
  - union, 216
- set builder notation, 58
- set equality, 55
- set of divisors function, 293
- solution set, 58, 363
- statement, 1, 3
  - biconditional, 103
  - compound, 33
  - conditional, 5–10
- subset, 55
  - proper, 218
- sufficient condition, 37
- sum of divisors function, 284, 319
- surjection, 311
- syllogism, 42
- symmetric, 375, 377
- tautology, 40, 116
- theorem, 86
- transitive, 375, 377
- transpose, 305, 323
- triangle, 295
- Triangle Inequality, 137
- truth set, 58, 254, 363
- truth table, 6
- Twin Prime Conjecture, 435
- twin primes, 163, 435
- uncountable set, 466
- undefined term, 85
- union
  - of a family of sets, 265
  - of an indexed family of sets, 268
  - of two sets, 216
- unique factorization, 433
- universal quantifier, 63
- universal set, 54
  - properties, 246, 277
- upper bound, 79

- variable, [54](#)
  - dependent, [285](#)
  - independent, [285](#)
- Venn diagram, [217](#)
- vertex, [369](#)
  
- Wallis cosine formulas, [183](#)
- Wallis sine formulas, [183](#)
- Well Ordering Principle, [423](#)
- Wiles, Andrew, [283](#)
- writing guidelines, [21–23](#), [73](#), [89](#), [94–95](#), [105](#), [108](#), [119](#), [176](#), [492–496](#)
  
- zero divisor, [77](#)